

## Long & Short Shank Fittings

	<b>Page:</b>
Long Shank Female Components	1
Long Shank Male Components	1
Long Shank Complete Sets	2
Garden Hose Couplings	2
Short Shank Complete Sets	3
Short Shank Complete Sets - Brass	3
Short Shank Washers	3
Short Shank Female Components	4
Short Shank Male Components	5



LSBF

## LONG SHANK - FEMALE COMPONENTS

### MACHINED BRASS - NPSM FEMALE LOOSE

Parts No.	Size Inches
LSBF-1	1

### CAST BRASS - NPSM FEMALE LOOSE

Parts No.	Size Inches
LSBF-1.25	1-1/4
LSBF-1.5	1-1/2

### MACHINED BRASS - GHT FEMALE LOOSE

Parts No.	Size Inches
LSBFGH-.5	1/2
LSBFGH-.75	3/4



LSBM

## LONG SHANK - MALE COMPONENTS

### MACHINED BRASS - NPSM MALE LOOSE

Parts No.	Size Inches
LSBM-1	1
LSBM-1.25	1-1/4
LSBM-1.5	1-1/2

# Long & Short Shank Fittings

## Long & Short Shank Fittings



LSBS

### LONG SHANKS COMPLETE SETS

#### MACHINED BRASS - NPSM

##### Complete Set Loose

Parts No.	Size Inches
LSBS-1	1

#### CAST BRASS - NPSM

##### Complete Set Loose

Parts No.	Size Inches
LSBS-1.25	1-1/4
LSBS-1.5	1-1/2



GHS

### GARDEN HOSE COUPLINGS (Brass Plated Zinc)

For garden hose use only at city water pressure.

#### COMPLETE SET LOOSE

Parts No.	Size Inches
GHS-.75	3/4

#### COMPLETE SET ATTACHED

Parts No.	Size Inches
GHSA-.75	3/4

# Long & Short Shank Fittings

# Long & Short Shank Fittings



SSAS

## SHORT SHANKS - COMPLETE SETS

Short shank couplings are the most economical connections for water discharge hose assemblies. Brass for more corrosive products.

## ALUMINUM (FEMALE HAS BRASS SWIVEL NUT) - NPSM

### Complete Set Loose

Parts No.	Size Inches
SSAS-1.5	1-1/2
SSAS-2	2
SSAS-2.5	2-1/2
SSAS-3	3
SSAS-4	4
SSAS-6	6



SSBS

## SHORT SHANKS - COMPLETE SETS

Short shank couplings are the most economical connections for water discharge hose assemblies. Brass for more corrosive products.

## BRASS - NPSM COMPLETE SET LOOSE

Parts No.	Size Inches
SSBS-1	1
SSBS-1.5	1-1/2



SSBSGH

## BRASS - G.H.T. COMPLETE SET LOOSE

Parts No.	Size Inches
SSBSGH-.5	1/2
SSBSGH-.75	3/4



SSW

## SHORT SHANK WASHERS

Parts No.	Size Inches
SSW-.5	1/2
SSW-.75	3/4
SSW-1	1
SSW-1.5	1-1/2
SSW-2	2
SSW-2.5	2-1/2
SSW-3	3
SSW-4	4
SSW-6	6

For garden hose couplings use 3/4" washers.

# Long & Short Shank Fittings

## Long & Short Shank Fittings



SSAF

### SHORT SHANKS - FEMALE COMPONENTS

Aluminum and Brass female components may be purchased individually. Female garden hose connector is made of machined brass; comes with rubber gasket.

#### ALUMINUM ( BRASS SWIVEL NUT) - NPSM FEMALE LOOSE

Parts No.	Size Inches
SSAF-1.5	1-1/2
SSAF-2	2
SSAF-2.5	2-1/2
SSAF-3	3
SSAF-4	4
SSAF-6	6



SSBF

#### BRASS - NPSM FEMALE LOOSE

Parts No.	Size Inches
SSBF-.75	3/4
SSBF-1	1
SSBF-1.5	1-1/2
SSBF-2	2
SSBF-2.5	2-1/2
SSBF-3	3
SSBF-4	4



SSBFGH

#### BRASS G.H.T. FEMALE LOOSE

Parts No.	Size Inches
SSBFGH-.5	1/2
SSBFGH-.75	3/4

# Long & Short Shank Fittings

# Long & Short Shank Fittings

## SHORT SHANKS - MALE COMPONENTS

Aluminum and Brass male components may be purchased individually. Male garden hose connector is made of machined brass; comes with rubber gasket.



SSAM

### ALUMINUM - NPSM MALE LOOSE

Parts No.	Size Inches
SSAM-1.5	1-1/2
SSAM-2	2
SSAM-2.5	2-1/2
SSAM-3	3
SSAM-4	4
SSAM-6	6



SSBM

### BRASS - NPSM MALE LOOSE

Parts No.	Size Inches
SSBM-.75	3/4
SSBM-1	1
SSBM-1.5	1-1/2
SSBM-2	2
SSBM-2.5	2-1/2
SSBM-3	3
SSBM-4	4



SSBMGH

### BRASS G.H.T. MALE LOOSE

Parts No.	Size Inches
SSBMGH-.5	1/2
SSBMGH-.75	3/4